ELSEVIER

International Journal of Antimicrobial Agents 18 (2001) 593–600

INTERNATIONAL JOURNAL OF
Antimicrobial Agents

www.ischemo.org

Volume contents

Volume 18 (2001)

No. 1

Review

A retrospective review of 228 episodes of infective endocarditis where rheumatic valvular disease is still common
Y. Çetinkaya, M. Akova, H.E. Akalın, S. Aşçıoğlu, M. Hayran, Ö. Uzuns, S. Aksöyek, L. Tokgözoğlu, A. Oto, S. Kes, İ. Paşaoğlu and S. Ünal 1

Original articles

Bacteriological and clinical efficacy of various antibiotics used in the treatment of streptococcal pharyngitis in Italy. An epidemiological study
G. Rondini, C.E. Cocuzza, M. Cianflone, A. Lanzafame, L. Santini and R. Mattina 9

Efficacy and safety of gemifloxacin 320 mg once-daily for 7 days in the treatment of adult lower respiratory tract infections
P. Ball, T.M. File, M. Twynholm, T. Henkel and The 061 *study group* 19

GAR-936 (9-*t*-butylglycylamido-minocycline) susceptibility test development for streptococci, *Haemophilus influenzae* and *Neisseria gonorrhoeae*: preliminary guidelines and interpretive criteria
L.M. Deshpande, A.C. Gales and R.N. Jones 29

Antibiotic resistance in *Salmonella enterica* subsp. *enterica* strains isolated in Poland from 1998 to 1999
J. Szych, A. Cieślik, J. Paciorek and S. Kałużewski 37

Comparative killing kinetics of the novel des-fluoro(6) quinolone BMS-284756, fluoroquinolones, vancomycin and β-lactams
E. Gradelski, L. Valera, B. Kolek, D. Bonner and J. Fung-Tomc 43

Comparative in vitro bacteriostatic and bactericidal activity of trovafloxacin, levofloxacin and moxifloxacin against clinical and environmental isolates of *Legionella* spp.
R. Gómez-Lus, F. Adrián, R. del Campo, P. Gómez-Lus, S. Sánchez, C. García and M.C. Rubio 49

Elucidation of antibiotic effectiveness against *Staphylococcus epidermidis* during intraocular lens implantation
A.A. Kadry, A.-K.F. Tawfik, A.A. Abu El-Asrar and A.M. Shibl 55

Methicillin-resistant *Staphylococcus aureus* in the hospitals of Central Greece
E. Petinaki, V. Miriagou, L.S. Tzouvelekis, S. Pournaras, F. Hatzi, F. Kontos, M. Maniati, A.N. Maniatis and Bacterial Resistance Study Group of Thessaly 61

Combination of benzo[*a*]phenothiazines with acyclovir against herpes simplex virus
I. Mucsi, J. Molnár and N. Motohashi 67

Short communications

Activity of the ketolide telithromycin (HMR-3647) against erythromycin-susceptible and -resistant pneumococci isolated in the UK
A.P. Johnson, C.J. Henwood, L. Tysall and M. Warner 73

Activity of gatifloxacin against strains resistant to ofloxacin and ciprofloxacin and its ability to select for less susceptible bacterial variants
J. Fung-Tomc, E. Gradelski, E. Huczko, B. Minassian and D.P. Bonner 77

Identity and antibiotic susceptibility of enterobacterial flora of salad vegetables
J.M.T. Hamilton-Miller and S. Shah 81

Antibacterial activity of black myrobalan (*Terminalia chebula* Retz) against *Helicobacter pylori*
F. Malekzadeh, H. Ehsanifar, M. Shahamat, M. Levin and R.R. Colwell 85

Effect of cyclosporin on uropathogenic *Escherichia coli* adherence to human endothelial cells
A. Szkaradkiewicz and M. Wal 89

Letter
Trends in antimicrobial resistant staphylococci in a university hospital over a 6-year period
Ö. Tünger, B. Özbakkaloğlu and H. Aksoy 93

Instructions to Authors 97

No. 1001 Supplement

Supplement
Proceedings of the Macrolides Revisited: Use in Adults Meeting, Brussels, Belgium, 16–17 June 2000

Introduction
J.-C. Pechère S1

Macrolides: structures and microbial targets
J. Retsema and W. Fu S3

Advanced-generation macrolides: tissue-directed antibiotics
G.W. Amsden S11

Macrolides: pharmacokinetics and pharmacodynamics
F. Van Bambeke and P.M. Tulkens S17

Macrolide resistance mechanisms in Gram-positive cocci
J.-C. Pechère S25

Clinical relevance of laboratory susceptibility data
E. Perea S29

The clinical impact of macrolide resistance in pneumococcal respiratory infections
J. Garau S33

Worldwide guidelines for respiratory tract infections: community-acquired pneumonia
K. Dalhoff S39

Japanese guidelines for the management of community-acquired pneumonia
K. Yanagihara, S. Kohno and T. Matsusima S45

The place of antibiotic therapy in the management of chronic acute exacerbations of chronic bronchitis
H.E. Akalin S49

Community-acquired pneumonia in ambulatory patients: relative importance of atypical pathogens
D. Honeybourne S57

Treatment of community-acquired pneumonia in hospitalised patients
L. Mulazimoglu S63

Comparative safety of the different macrolides
E. Rubinstein S71

Evaluation of the safety of macrolides
J.D. Williams S77

Diffuse panbronchiolitis—pathophysiology and treatment mechanisms
K. Yanagihara, S. Kohno and J. Kadoto S83

Non-antimicrobial activities of macrolides
J.D. Williams S89

New perspectives on macrolide antibiotics
J.-C. Pechère S93

No. 2

Original Articles

Antibiotic sensitivity still prevails in Norwegian blood culture isolates
T.M. Leegaard, L. Bevanger, R. Jureen, T. Lier, K.K. Melby, D.A. Caugant, L. Oddvar Frøholm and E. Arne Høiby 99

Characterization of sparfloxacin-resistant mutants of *Staphylococcus aureus* obtained in vitro
J. Ruiz, J.M. Sierra, M.T.J. De Anta and J. Vila 107

Mechanisms other than penicillin-binding protein-2 alterations may contribute to moderate penicillin resistance in *Neisseria meningitidis*
P. Orús and M. Viñas 113

Prevalence of antimicrobial resistance among urinary tract pathogens isolated from female outpatients across the US in 1999
J.A. Karlowsky, M.E. Jones, C. Thornsberry, I. Critchley, L.J. Kelly and D.F. Sahm 121

Antimicrobial resistance of strains of the *Bacteroides fragilis* group isolated from the intestinal tract of children and adults in Brazil
K.E.S. Avelar, J.M.B.D. Vieira, L.C.M. Antunes, L.A. Lobo, E.N.F. Antunes, R.M.C.P. Domingues and M.C.S. Ferreira 129

Antimicrobial susceptibility of potentially pathogenic halophilic vibrios isolated from seafood
D. Ottaviani, I. Bacchiocchi, L. Masini, F. Leoni, A. Carraturo, M. Giammarioli and G. Sbaraglia 135

Comparative antimicrobial spectrum and activity of BMS284756 (T-3811, a desfluoroquinolone) tested against 656 Enterobacteriaceae, including preliminary in vitro susceptibility test comparisons and development
A.M. Fix, M.A. Pfaller, D.J. Biedenbach, M.L. Beach and R.N. Jones 141

Multi-resistance to antimicrobial agents for the ten most frequently isolated bacterial pathogens
A.C. Fluit, F.J. Schmitz, J. Verhoef and European SENTRY Participants 147

Antimicrobial activity of trifluoromethyl ketones and their synergism with promethazine
M. Kawase, N. Motohashi, H. Sakagami, T. Kanamoto, H. Nakashima, L. Ferenczy, K. Wolfard, C. Miskolci and J. Molnár 161

In vitro antifungal activity of posaconazole against various pathogenic fungi
K. Uchida, N. Yokota and H. Yamaguchi 167

Comparison of in vitro antifungal activities of topical antimycotics launched in 1990s in Japan
K. Nimura, Y. Niwano, S. Ishiduka and R. Fukumoto 173

Subtyping and antifungal susceptibilities of *Candida* spp. in the intensive care unit of a Greek general hospital
M. Kanellopoulou, G. Stamos, I. Petinnelli, M. Savala, A. Tzimogianni, N.J. Legakis, M. Foustoukou, E. Papafragas and A. Velegraki 179

Short communications
Characterization of extended spectrum β-lactamase-producing *Klebsiella pneumoniae* from Beijing, China
D. Shen, P. Winokur and R.N. Jones 185

Antimicrobial susceptibility of community-acquired uropathogens in northern Israel
R. Colodner, Y. Keness, B. Chazan and R. Raz 189

Rate of *Staphylococcus aureus* nasal carriage in immunocompromised patients receiving haemodialysis treatment
M. Kozioł-Montewka, A. Chudnicka, A. Książek and M. Majdan 193

No. 3

Review
Role of sultamicillin and ampicillin/sulbactam in the treatment of upper and lower bacterial respiratory tract infections
H. Lode 199

Original Articles
Antibiotic susceptibility of bacterial strains isolated from patients with community-acquired urinary tract infections
R. Daza, J. Gutiérrez and G. Piédrola 211

In vitro susceptibilities of *Bartonella* and *Rickettsia* spp. to fluoroquinolone antibiotics as determined by immunofluorescent antibody analysis of infected Vero cell monolayers
T.J. Ives, E.L. Marston, R.L. Regnery and J.D. Butts 217

Antibiotic therapy of ventilator-associated pneumonia—a reappraisal of rationale in the era of bacterial resistance
V. Sintchenko, J.R. Iredell and G.L. Gilbert 223

Influence of diminished susceptibility of *Streptococcus pneumoniae* to ciprofloxacin on the serum bactericidal activity of gemifloxacin and trovafloxacin after a single dose in healthy volunteers
J. Prieto, L. Aguilar, F. Fuentes, M.J. Giménez, L. Alou, R. Dal-Ré, F. Sörgel and J. Frías 231

Vancomycin levels in human aqueous humour after intravenous and subconjunctival administration
M. Souli, G. Kopsinis, E. Kavouklis, L. Gabriel and H. Giamarellou 239

Liposomes and PLG microparticles as sustained release antitubercular drug carriers—an in vitro–in vivo study
M. Dutt and G.K. Khuller 245

Determination of linezolid in human serum and urine by high-performance liquid chromatography
K. Borner, E. Borner and H. Lode 253

Short communications
Birth outcome following maternal use of fluoroquinolones
H. Larsen, G.L. Nielsen, H.C. Schønheyder, C. Olesen and H.T. Sørensen 259

In vitro activity of linezolid against Gram-positive uropathogens of hospitalized patients with complicated urinary tract infections
H. Onda, F.M.E. Wagenlehner, N. Lehn and K.G. Naber 263

In vitro activity of linezolid against clinical Gram-positive bacterial isolates from Taiwan: an area with a high prevalence of antibiotic resistance
C.-T. Fang, S.-C. Chang, Y.-C. Chen, S.-M. Hsieh and W.-C. Hsieh 267

Letters
In vitro activity of amprenavir against *Pneumocystis carinii*
C. Atzori, G. Fantoni, A. Valerio and A. Cargnel 271

The cationic amphiphilic molecules as potential immunostimulants for HIV-1 infection
A. Achour 275

Special Section: Antibiotic resistance: risks and strategies

Obituary
Tom Bergan (1939–2001)
J.D. Williams 277

Original articles
Antibiotic usage in Nordic countries
T. Bergan 279

The usage of antibiotics in Russia and some countries in Eastern Europe
L. Stratchounski, A. Bedenkov, W. Hryniewicz, V. Krcmery, E. Ludwig and V. Semenov 283

The experience of reducing antibiotics used in animal production in the Nordic countries
M. Wierup 287

Animals and antibiotics
A.M. Johnston 291

Antibiotic resistance in hospital pathogens—acquisition or spread?
J.D. Williams 295

How to organise antibiotic prescription
P. Dellamonica, P.M. Roger, A. Mousnier, R. Collomb, E. Bernard and T. Fosse 299

Erratum
A. Nostro, G. Bisignano, M.A. Cannatelli, G. Cris, M.P. Germanò and V. Alonzo 305

No. 4

Hamao Umezawa Memorial Award Lecture: 'An Odyssey in the Viral Chemotherapy Field'
E. De Clercq 309

Review
Optimising antibiotic prescribing in primary care
C.A.M. McNulty 329

Original Articles
Tissue and serum concentrations of levofloxacin in orthopaedic patients
H. Baum, S. Böttcher, R. Abel, H.J. Gerner and H.-G. Sonntag 335

Short-course therapy with cefaclor for treatment of streptococcal pharyngotonsillitis
S. Esposito, S. Noviello, F. Ianniello and G. D'Errico 341

Antimicrobial susceptibility of nasopharyngeal isolates of *Haemophilus influenzae* from healthy children in day-care centres: results of multicentre study in Russia
L.S. Stratchounski, O.I. Kretchikova, G.K. Reshedko, O.U. Stetsiouk, M.M. Kandalov, O.A. Egorova, L.M. Boyko, E.L. Ryabkova, G.D. Tarasova and B.M. Blokhin 347

Antibiotic resistance in *Escherichia coli* isolates obtained from animals, foods and humans in Spain
Y. Sáenz, M. Zarazaga, L. Briñas, M. Lantero, F. Ruiz-Larrea and C. Torres 353

Rapid detection of mutations associated with resistance to erythromycin in *Campylobacter jejuni/coli* by PCR and line probe assay
H. Niwa, T. Chuma, K. Okamoto and K. Itoh 359

Detection of amp C in *Enterobacter cloacae* in China
Y.L. Zhang, J.T. Li and M.W. Zhao 365

Clinical isolates of *Streptococcus pneumoniae* resistant to levofloxacin contain mutations in both *gyrA* and *parC* genes
X. Zheng, C. Johnson, Y. Lu, R. Yanagihara, S. Hollingshead, M. Crain, W. Benjamin Jr. and K.B. Waites 373

Short communications

Multicentre study of the in vitro evaluation of moxifloxacin and other quinolones against community acquired respiratory pathogens
H. Lopez, V. Vilches, S. Scarano, D. Stepanik, J. Smayevsky, L. Lemme, O. Cardeñosa, J. Ambler and A. Sucari 379

Comparison of isepamicin with amikacin for the empirical treatment of febrile neutropenic children with malignancies
H.C. Maltezou, M. Baka, N. Gombakis, D.E. Koliouskas, H. Kosmidou, E. Malaka-Zafiriou and D.A. Kafetzis 383

Primary resistance to clarithromycin in clinical strains of *Helicobacter pylori* isolated from children in Poland
K. Dzierżanowska-Fangrat, E. Rożynek, P. Jóźwiak, D. Celińska-Cedro, K. Madaliński and D. Dzierżanowska 387

Widespread resistance to new antimicrobials in a university hospital before clinical use
G. Kumarasinghe, C. Chow and P.A. Tambyah 391

Penicillin and clindamycin differentially inhibit the production of pyrogenic exotoxins A and B by group A streptococci
E.M. Mascini, M. Jansze, L.M. Schouls, J. Verhoef and H. Van Dijk 395

Lactoferrin-induced reduction of *vanB* vancomycin resistance in enterococci
E.C. Leitch and M.D.P. Willcox 399

Trifluoperazine: a broad spectrum bactericide especially active on staphylococci and vibrios
R. Mazumder, K. Ganguly, S.G. Dastidar and A.N. Chakrabarty 403

Letter

Mupirocin resistance in *Staphylococcus aureus* from Greek hospitals
N. Maniatis, A. Aqel, N.J. Legakis and L.S. Tzouvelekis 407

Instructions to Authors 409

No. 5

Review

Phenothiazines: potential management of Creutzfeldt–Jacob disease and its variants
L. Amaral and J.E. Kristiansen 411

Original articles

Characteristics and mechanisms of azithromycin accumulation and efflux in human polymorphonuclear leukocytes
W.L. Hand and D.L. Hand 419

Tolerability of 3-day, once-daily azithromycin suspension versus standard treatments for community-acquired paediatric infectious diseases
G. Treadway and A. Reisman 427

Short communications

Molecular surveillance of macrolide, tetracycline and quinolone resistance mechanisms in 1191 clinical European *Streptococcus pneumoniae* isolates
F.-J. Schmitz, M. Perdikouli, A. Beeck, J. Verhoef and A.C. Fluit 433

Antimicrobial activity of BMS 284756 (T-3811) against *Neisseria gonorrhoeae* tested by three methods
L. Deshpande, D.J. Biedenbach and R.N. Jones 437

Pharmacokinetics of fluoroquinolones in uncompensated cirrhosis: the significance of penetration in the ascitic fluid
H. Sambatakou, E.J. Giamarellos-Bourboulis, N. Galanakis and H. Giamarellou 441

Letter

In vitro susceptibility of *Staphylococcus aureus* and coagulase-negative Staphylococcus strains to fusidic acid
Ö. Tünger, A. Arısoy, S. Kurutepe, S. Akçalı and B. Özbakkaloğlu 445

Special Section

Pharmacokinetic evaluation of a novel bifunctional prodrug of ceftizoxime—AS-924
AS-924, a novel, orally active, bifunctional prodrug of ceftizoxime: physicochemical properties, oral absorption in animals, and antibacterial activity
N. Mori, T. Kodama, A. Sakai, T. Suzuki, T. Sugihara, S. Yamaguchi, T. Nishijima, A. Aoki, M. Toriya, M. Kasai, S. Hatano, M. Kitagawa, A. Yoshimi and K.-i. Nishimura 451

Effects of food intake and age on the pharmacokinetics of AS-924, a novel ester-type cephem antibiotic. Comparison with cefpodoxime proxetil
K. Totsuka, K. Shimizu, N. Mori, T. Sugihara, A. Sakai, S. Yamaji, Y. Michisuji, Y. Shinohara, A. Kubo and H. Tokuoka 463

Effects of the quantity of water and milk ingested concomitantly with AS-924, a novel ester-type cephem antibiotic, on its pharmacokinetics
F. Matsumoto, I. Sakurai, M. Morita, T. Takahashi, N. Mori, T. Sugihara, A. Sakai, S. Yamaji, Y. Akaike and K. Yano 471

Effect of antacid pretreatment on the pharmacokinetics of AS-924, a novel ester-type cephem antibiotic—comparison with cefteram-pivoxil
K. Totsuka, K. Shimizu, N. Mori, T. Sugihara, A. Sakai, S. Yamaji, Y. Michisuji, Y. Shinohara, A. Kubo and H. Tokuoka 477

Effects of gastrointestinal stimulant and suppressant pretreatment on the pharmacokinetics of AS-924, a novel ester-type cephem antibiotic
A. Yanagawa, J. Shimada, N. Mori, T. Sugihara, A. Sakai, S. Yamaji, K. Yano, T. Kitamura and T. Kano 483

Pharmacokinetics of cefcapene pivoxil and AS-924 in gastrectomized patients
M. Fujimoto 489

Instructions to Authors 495

No. 6

Review
Epidemiological aspects of antibiotic resistance in respiratory pathogens
G. Mlynarczyk, A. Mlynarczyk and J. Jeljaszewicz 497

Original articles
Randomized, double-blind study comparing 5- and 7-day regimens of oral levofloxacin in patients with acute exacerbation of chronic bronchitis
R.G. Masterton, C.J. Burley and The Study Group 503

The chemotherapeutic agent bleomycin in a two-drug combination with zidovudine, ritonavir or indinavir synergistically inhibits HIV Type-1 replication in peripheral blood lymphocytes
N.A. Georgiou, T. van der Bruggen, C.A. Jansen, M. Oudshoorn, H.S.L.M. Nottet, J.J.M. Marx and B.S. van Asbeck 513

Prevalence of multiple dideoxynucleoside analogue resistance (MddNR) in a cohort of Italian HIV-1 seropositive patients extensively treated with antiretroviral drugs
M.C. Re, M. Borderi, P. Monari, I. Bon, R. Gorini, D. Gibellini, G. Verucchi, L. Fortunato, F. Chiodo and M. La Placa 519

Efficacy of macrolides used in combination with ethambutol, with or without other drugs, against *Mycobacterium avium* within human macrophages
G.F. Schiavano, A.G. Celeste, L. Salvaggio, M. Sisti and G. Brandi 525

In vitro activity of ABT-773, telithromycin and eight other antimicrobials against erythromycin-resistant *Streptococcus pneumoniae* respiratory isolates of children
C.N. Johnson, W.H. Benjamin Jr, B.M. Gray, M.C. Crain, K.M. Edwards and K.B. Waites 531

Natural antibiotic susceptibility of strains of the *Enterobacter cloacae* complex
I. Stock, T. Grüger and B. Wiedemann 537

Mutations in dihydropteroate synthase gene of *Pneumocystis carinii* in HIV patients with *Pneumocystis carinii* pneumonia
E. Visconti, E. Ortona, P. Mencarini, P. Margutti, S. Marinaci, M. Zolfo, A. Siracusano and E. Tamburrini 547

In vitro antimicrobial activity of a chitooligosaccharide mixture against *Actinobacillus actinomycetemcomitans* and *Streptococcus mutans*
B.-K. Choi, K.-Y. Kim, Y.-J. Yoo, S.-J. Oh, J.-H. Choi and C.-Y. Kim 553

Short communications

In vitro resistance of *Bacillus anthracis* Sterne to doxycycline, macrolides and quinolones
I. Brook, T.B. Elliott, H.I. Pryor II, T.E. Sautter, B.T. Gnade, J.H. Thakar and G.B. Knudson 559

Survey of methicillin-resistant coagulase-negative staphylococci in the hospitals of central Greece
E. Petinaki, F. Kontos, V. Miriagou, M. Maniati, F. Hatzi, A.N. Maniatis and The Bacterial Resistance Study Group 563

In-vitro activities of various antibiotics, alone and in combination with amikacin against *Pseudomonas aeruginosa*
B. Karakoç and A.A. Gerçeker 567

Antimicrobial susceptibility of corynebacteria isolated from ewe's mastitis
E.P. Fernández, A.I. Vela, A. Las Heras, L. Domínguez, J.F. Fernández-Garayzábal and M.A. Moreno 571

Antibacterial effect of parabens against planktonic and biofilm *Streptococcus sobrinus*
S. Doron, M. Friedman, M. Falach, E. Sadovnic and H. Zvia 575

In vitro activity of the chelating agents nitroxoline and oxine against *Mycobacterium bovis* BCG
B. Murugasu-Oei and T. Dick 579

The effect of *Nepeta cataria* extract on adherence and enzyme production of *Staphylococcus aureus*
A. Nostro, M. Angela Cannatelli, G. Crisafi and V. Alonzo 583

Author Index 587
Volume Contents 593
Instruction to Authors 601